Bibliography

[Ab] Abikoff, W., *The real analytic theory of Teichmüller space*, Lecture Notes in Mathematics, 820. Springer, Berlin, 1980.

[ACK] Arbarello, E., De Concini, C., and Kac, V. G., *The infinite wedge rpresentation and the reciprocity law for algebraic curves*, in Theta functions—Bowdoin 1987, Part I, 171–190, Proc. Sympos. Pure Math., 49, Amer. Math. Soc., Providence, RI, 1989.

[AP] Andersen, H.H. and Paradowski, J., *Fusion categories arising from semisimple Lie algebras*, Comm. Math. Phys. **169** (1995), 563–588.

[APW] Andersen, H.H., Polo, P., and Wen, K., *Representations of quantum algebras*, Invent. Math. **104** (1991), 1–59.

[Ar] Artin, M., *Versal deformations and algebraic stacks*, Invent. Math. **27** (1974), 165–189.

[At] Atiyah, M., *Topological quantum field theories*, Publ. Math. IHES **68** (1989) 175–186.

[Ber] Bernstein, J. *Lectures on D-modules*, unpublished.

[B1] Birman, J., *Braids, links, and mapping class groups*, Ann. Math. Stud., vol. 82, 1972.

[B2] ———, *Mapping class groups and their relationship to braid groups*, Comm. Pure Appl. Math. **22** (1969), 213–238.

[BD] Belavin, A.A. and Drinfeld, V.G., *Solutions of classical Yang–Baxter equation and classical Lie algebras*, Funktz. Analiz i Ego Prilozh. **16** (1982), no. 3, 1–29 (Russian); English transl. in Funct. Anal. and Appl. **16** (1982), 159–180.

[Be] Beauville, A., *Conformal blocks, fusion rules and the Verlinde formula*, Proceedings of the Hirzebruch 65 Conference on Algebraic Geometry (Ramat Gan, 1993), 75–96, Israel Math. Conf. Proc., 9, Bar-Ilan Univ., Ramat Gan, 1996.

[BFM] Beilinson, A., Feigin, B., and Mazur, B., *Introduction to field theory on curves*, manuscript, May 1990.

[Bjo] Björk, J.–E. *Analytic $\mathcal{D}$-modules and applications*, Mathematics and its Applications, 247, Kluwer Academic Publishers Group, Dordrecht, 1993.

[BK] Bakalov, B. and Kirillov, A., Jr. *On the Lego–Teichmüller game*, preprint math.GT/9809057, to appear in Transf. Groups.

[BN] Bar-Natan, D., *Non-associative tangle*, in "Geometric topology" (Athens, GA, 1993), 139–183, AMS/IP Stud. Adv. Math., 2.1, Amer. Math. Soc., Providence, RI, 1997.

[Bor] Borel, A. et al. *Algebraic D-modules*, Academic Press, Inc., Boston, MA, 1987.

[BPZ] Belavin, A. A., Polyakov, A. M., and Zamolodchikov, A. B., *Infinite conformal symmetry in two-dimensional quantum field theory*, Nuclear Phys. **B241** (1984), 333–380.

[BS] Beilinson, A. A., Schechtman, V. V., *Determinant bundles and Virasoro algebras*, Comm. Math. Phys. **118** (1988), 651–701.

[C] Crane, L., *2-d physics and 3-d topology*, Comm. Math. Phys. **135** (1991), 615–640.

[CL] Coddington, E.A. and Levinson, N., *Theory of ordinary differential equations*, McGraw-Hill, New York, Toronto, London, 1955.

[CP] Chari, V. and Pressley, A., *A guide to quantum groups*, Cambridge Univ. Press, Cambridge, 1995.

[Cr] Craggs, R., *A new proof of the Reidemeister–Singer theorem on stable equivalence of Heegaard splittings*, Proc. Amer. Math. Soc. **57** (1976), 143–147.

[De1] Deligne, P., *Équations différentielles à points singuliers réguliers*, Lecture Notes in Mathematics, Vol. 163. Springer-Verlag, Berlin-New York, 1970.

[De2] ———, *Catégories tannakiennes*, The Grothendieck Festschrift, Vol. II, pp. 111–195, Progr. Math., 87, Birkhuser Boston, Boston, MA, 1990.

[De3] ———, *Action du groupe des tresses sur une catégorie*, Invent. Math. **128** (1997), 159–175.

[DM] Deligne, P. and Mumford, D., *The irreducibility of the space of curves of given genus*, Inst. Hautes Etudes Sci. Publ. Math., **36** (1969) 75–109.

[DPR] Dijkgraaf, R., Pasquier, V., Roche, P., *Quasi Hopf algebras, group cohomology and orbifold models*, Nuclear Phys. B Proc. Suppl. **18B** (1990), 60–72.

[Dr1] Drinfeld, V.G., *Quasi-Hopf algebras*, Algebra i Analiz **1**, no. 6 (1989), 114–148 (Russian), English translation in Leningrad Math. J. **1** (1990), 1419–1457.

[Dr2] ———, *On almost cocommutative Hopf algebras*, Leningrad Math. J. **1** (1990), no. 2, 321–342.

[Dr3] ———, *Quantum groups*, Proc. Intern. Congr. Math., Berkeley, 1986, pp. 798–820.

[Dr4] ———, *On quasitriangular quasi-Hopf algebras and on a group that is closely connected with* $\mathrm{Gal}(\overline{\mathbf{Q}}/\mathbf{Q})$, (Russian) Algebra i Analiz **2** (1990), no. 4, 149–181; English translation in Leningrad Math. J. **2** (1991), 829–860.

[DVVV] Dijkgraaf, R., Vafa, C., Verlinde, E., Verlinde, H., *The operator algebra of orbifold models*, Comm. Math. Phys. **123** (1989), 485–526.

[EFK] Etingof, P., Frenkel, I., and Kirillov, A., Jr., *Lectures on Representation Theory and Knizhnik-Zamolodchikov Equations*, Amer. Math. Soc., Providence, RI, 1998.

[F] Finkelberg, M., *An equivalence of fusion categories*, Geom. Funct. Anal. **6** (1996), 249–267.

[FG] Funar, L. and Gelca, R., *On the groupoid of transformations of rigid structures on surfaces*, J. Math. Sci. Univ. Tokyo, **6** (1999), 599–646.

[FMS] Di Francesco, P., Mathieu, P., and Sénéchal, D., *Conformal field theory*, Graduate Texts in Contemporary Physics, Springer-Verlag, New York, 1997.

[FS] Friedan, D., and Shenker, S., *The analytic geometry of two-dimensional conformal field theory*, Nuclear Phys. **B 281** (1987), 509–545.

[Fu] Funar, L., 2 + 1-*D topological quantum field theory and 2-D conformal field theory*, Comm. Math. Phys. **171** (1995), 405–458.

[G] Grothendieck, A., *Esquisse d'un programme* (1984), published in [**LS**], pp. 5–48. (English translation in [**LS**], pp. 243–283.)

[Gab] Gabber, O., *The integrability of the characteristic variety*, Amer. J. Math., **103** (1981), 445–468.

[Gai] Gaitsgory, D. *Notes on 2D Conformal Field Theory and String Theory*, in *Quantum Fields and Strings: A Course for Mathematicians*, vol. 2, pp. 1017–1077, AMer. Math. Soc., Providence, RI, 1999.

[Ge1] Gervais, S., *Presentation and central extensions of mapping class groups*, Trans. Amer. Math. Soc. **348** (1996), 3097–3132.

[Ge2] ———, *A finite presentation of the mapping class group of an oriented surface*, preprint math.GT/9811162.

[GH] Griffiths, P., Harris, J., *Principles of algebraic geometry*, Wiley-Interscience [John Wiley & Sons], New York, 1978.

[Ha] Harer, J., *The second homology group of the mapping class group of an orientable surface*, Invent. Math. **72** (1983), 221–239.

[HL] Huang, Y.-Z. and Lepowsky, J., *Intertwining operator algebras and vertex tensor categories for affine Lie algebras*, preprint q-alg/9706028, to appear in Duke Math. J.

[HLS] Hatcher, A., Lochak, P., and Schneps, L., *On the Teichmüller tower of mapping class groups*, preprint (1997).

[HT] Hatcher, A. and Thurston, W., *A presentation for the mapping class group of a closed orientable surface*, Topology **19** (1980), 221–237.

[Hua] Huang, Yi-Zhi, *Two-dimensional conformal geometry and vertex operator algebras*, Progress in Mathematics, **148**. Birkhäuser, Boston, MA, 1997.

[Hum] Humphreys, J.E., *Introduction to Lie algebras and representation theory*, Springer-Verlag, New York, 1972.

[Jan] Jantzen, J., *Lectures on Quantum Groups*, Graduate Studies in Mathematics, **6**, Amer. Math. Soc., Providence, RI, 1996.

[JS] Joyal, A. and Street, R., *Braided tensor categories*, Adv. Math. **102** (1993), 20–78.

[K1] Kac, V.G., *Infinite-dimensional Lie algebras*, Cambridge Univ. Press, 3rd ed., 1990.

[K2] ———, *Vertex algebras for beginners*, University Lecture Series, vol. 10, American Mathematical Society, Providence, RI, 1997. Second ed., 1998.

[Ka] Kassel, C., *Quantum groups*, Graduate Texts in Mathematics, 155, Springer-Verlag, New York, 1995.

[KasS] Kashiwara, M. and Schapira, P. *Sheaves on Manifolds*, Springer-Verlag, Berlin, 1994.

[Ke] Kerler, T., *Mapping class group actions on quantum doubles*, Comm. Math. Phys. **168** (1995), 353–388.

[Ki] Kirillov, A., *On inner product in modular tensor categories.* I, J. Amer. Math. Soc., **9** (1996), 1135–1170; II, Adv. Theor. Math. Phys. **2** (1998), no. 1, 155–180.

[KL] Kazhdan, D. and Lusztig, G., *Tensor structures arising from affine Lie algebras.* I, J. Amer. Math. Soc., **6** (1993), 905–947; II, J. AMS, **6** (1993), 949–1011; III, J. AMS, **7** (1994), 335–381; IV, J. AMS, **7** (1994), 383–453.

[KP] Kac, V.G. and Peterson, D.H., *Infinite-dimensional Lie algebras, theta functions and modular forms*, Adv. in Math. **53** (1984), no. 2, 125–264.

[KM] Knudsen, F., Mumford, D., *The projectivity of the moduli space of stable curves.* I. *Preliminaries on "det" and "Div"*, Math. Scand. **39** (1976), 19–55.

[Kn] Knudsen, F., *The projectivity of the moduli space of stable curves*, II. *The stacks $M_{g,n}$*, Math. Scand. **52** (1983), 161–199; III. *The line bundles on $M_{g,n}$, and a proof of the projectivity of $\overline{M}_{g,n}$ in characteristic* 0, Math. Scand. **52** (1983), 200–212.

[Ko] Kohno, T., *Topological invariants for 3-manifolds using representations of mapping class groups* I, Topology, **31** (1992), 203–230.

[KT] Kac, V.G. and Todorov, I.T., *Affine orbifolds and rational conformal field theory extensions of $W_{1+\infty}$*, Comm. Math. Phys. **190** (1997), 57–111.

[KW] Kazhdan, D. and Wenzl, H., *Reconstructing monoidal categories*, I. M. Gel'fand Seminar, 111–136, Adv. Soviet Math., **16**, Part 2, Amer. Math. Soc., Providence, RI, 1993.

[KZ] Knizhnik, V.G. and Zamolodchikov, A.B., *Current algebra and Wess–Zumino model in two dimensions*, Nuclear Phys. **B 247** (1984), 83–103.

[L1] Lusztig, G., *Quantum deformations of certain simple modules over enveloping algebras*, Adv. Math. **70** (1988), 237–249.

[L2] ———, *Introduction to quantum groups*, Birkhäuser, Boston, 1993.

[L3] ———, *Monodromic systems on affine flag manifolds*, Proc. R. Soc. Lond. A **455** (1994), 231–246; *Erratum*, Proc. R. Soc. Lond. A **450** (1995), 731–732.

[L4] ———, *Modular representations and quantum groups*, Contemp. Math., vol 82, 1989, AMS, Providence, pp. 52–77.

[L5] ———, *Unipotent representations of a finite Chevalley group of type E_8*, Quart. J. Math. Oxford Ser. (2) **30** (1979), no. 119, 315–338.

[L6] ———, *Leading coefficients of character values of Hecke algebras*, in "The Arcata Conference on Representations of Finite Groups" (Arcata, Calif., 1986), pp. 165–179, Proc. Sympos. Pure Math., 47, Part 1, Amer. Math. Soc., Providence, RI, 1987.

[L7] ———, *Exotic Fourier transform*, Duke Math. J. **73** (1994), 227–241.

[Li] Lickorish, W.B.R., *A finite set of generators for the homeotopy group of a 2-manifold.* Proc. Cambridge Philos. Soc. **60**, 1964, 769–778.

[LS] Lochak, P., and Schneps, L., eds., *Geometric Galois actions. 1. Around Grothendieck's "Esquisse d'un programme"*, London Math. Soc. Lect. Note Series, 242, Cambridge University Press, Cambridge, 1997.

[Luo] Luo, F., *A presentation of the mapping class groups*, Math. Res. Let. **4** (1997), 735–739.

[Lyu1] Lyubashenko, V., *Modular transformations for tensor categories*, J. Pure Appl. Algebra **98** (1995), no. 3, 279–327.

[Lyu2] ———, *Invariants of 3-manifolds and projective representations of mapping class groups via quantum groups at roots of unity*, Comm. Math. Phys. **172** (1995), 467–516.

[Ma] Malgrange, B., *Regular connections, after Deligne*, in *"Algebraic D-modules"*, A. Borel et al, Academic Press, Boston, 1987, pp. 151–172.

[Mac] MacLane, S., *Categories for the working mathematician*, Graduate Texts in Mathematics, vol. 5, Springer–Verlag, New York, 1971.

[Maj] Majid, S., *Tannaka–Krein theorem for quasi-Hopf algebras and other results*, Contemp. Math. **134**, pp.219–232, Amer. Math. Soc., Providence, RI, 1992.

[MFK] Mumford, D., Fogarty, J., and Kirwan, F., *Geometric invariant theory*, 3rd ed., Springer-Verlag, Berlin, 1994.

[Mo] Motto, M., *Maximal triads and prime decompositions of surfaces embedded in* 3-*manifolds*, Trans. Amer. Math. Soc. **331** (1992), no. 2, 851–867.

[MS1] Moore, G. and Seiberg, N., *Classical and quantum conformal field theory*, Comm. Math. Phys. **123** (1989), 177–254.

[MS2] ———, *Lectures on RCFT*, Superstrings '89 (Proc. of the 1989 Trieste Spring School) (M. Green et al., eds.), World Sci., River Edge, NJ, 1990, pp. 1–129.

[PS] Prasolov, V. V. and Sossinsky, A. B., *Knots, links, braids and 3-manifolds. An introduction to the new invariants in low-dimensional topology.* Translations of Mathematical Monographs, **154**. American Mathematical Society, Providence, RI, 1997.

[Q] Quinn, F., *Lectures on axiomatic topological quantum field theory*, in "Geometry and quantum field theory" (Park City, UT, 1991), pp. 323–453, D. Freed and K. Uhlenbeck, eds., AMS, Providence, RI, IAS, Princeton, NJ, 1995.

[RT1] Reshetikhin, N.Yu. and Turaev, V.G., *Ribbon graphs and their invariants derived from quantum groups*, Comm. Math. Phys. **127** (1990), 1–26.

[RT2] ———, *Invariants of 3-manifolds via link polynomials and quantum groups*, Inv. Math. **103** (1991), 547–597.

[S] Segal, G., *Two-dimensional conformal field theories and modular functors.* IXth International Congress on Mathematical Physics (Swansea, 1988), 22–37, Hilger, Bristol, 1989.

[Sat] Satake, I., *On a generalization of the notion of manifold*, Proc. Nat. Acad. Sci. U.S.A. **42** (1956), 359–363.

[Su] Suzuki, S., *On homeomorphisms of a 3-dimensional handlebody*, Can. J. Math. **29** (1977), 111–124.

[SV] Schechtman, V. and Varchenko, A., *Arrangements of hyperplanes and Lie algebra homology*, Inv. Math. **106** (1991), 139–194.

[T] Turaev, V.G., *Quantum invariants of knots and 3-manifolds*, W. de Gruyter, Berlin, 1994.

[Ta] Tate, J., *Residues of differentials on curves*, Ann. Sci. Ecole Norm. Sup. (4) **1** (1968), 149–159.

[Tel] Teleman, C., *Lie algebra cohomology and the fusion rules*, Comm. Math. Phys. **173** (1995), 265–311.

[TK] Tsuchiya, A. and Kanie, Y., *Vertex operators in conformal field theory on P^1 and monodromy representations of braid group*, Adv. Stud. Pure Math. **16** (1988), pp. 297–372.

[TUY] Tsuchiya, A., Ueno, K. and Yamada, Y., *Conformal field theory on universal family of stable curves with gauge symmetries*, Adv. Stud. Pure Math. **19** (1992), pp. 459–566.

[V1] Vafa, C., *Conformal theories and punctured surfaces*, Phys. Lett. **B 199** (1987), 195–202.

[V2] ———, *Toward classification of conformal theories*, Phys. Lett. **B 206** (1988), 421–426.

[Ve] Verlinde, E., *Fusion rules and modular transformations in 2D conformal field theory*, Nucl. Phys. **B 300** (1988), 360–376.

[Vi] Vistoli, A., *Intersection theory on algebraic stacks and on their moduli spaces*, Invent. Math. **97** (1989), no. 3, 613–670.

[Vo] Vogel, P., *Algebraic structures on modules of diagrams*, Université Paris VII, preprint, October 1996.

[W1] Witten, E., *Topological quantum field theory*, Comm. Math. Phys. **117** (1988), 353–386.

[W2] ———, *Quantum field theory and the Jones polynomial*, Comm. Math. Phys. **121** (1989), 351–399.

[Waj] Wajnryb, B., *A simple presentation for the mapping class group of an orientable surface*, Israel J. Math. **45** (1983), 157–174.

[Z1] Zhu, Y., *Global vertex operators on Riemann surfaces*, Comm. Math. Phys. **165** (1994), 485–531.

[Z2] ———, *Modular invariance of characters of vertex operator algebras*, J. Amer. Math. Soc. **9** (1996), 237–302.

Index

Index of Notation