



Number Systems

10101101

- The goal of these slides is to give an overview of ideas related number representation, so we can later understand better how different societies represented numbers.
- We will briefly discuss number systems in Egypt, Mesopotamia, Greece, China and the Mayans.

Write down one idea we discussed in this course. (Hint: sources, numbers, definitions, counting, bones, brain)

- All societies develop ideas of number.
- Counting as one-to-one correspondence
- Different ways of recording number (what do these ways depend on?)
- Formal definition of number is very hard (difficulty related to the barber paradox)
- **Primary sources:** A primary source is an original, firsthand, or direct piece of evidence or material that provides information about a particular topic or event.
- A **secondary source** is a document or material that is created based on information derived from primary sources. In academic research and historical analysis, secondary sources interpret, analyze, or comment on primary sources. They are **one or more steps** removed from the original events or materials and often involve synthesis, interpretation, or commentary by the author.
- The moment when the helper lowers their 10 fingers and the second helper lifts 1.



Image credit: <https://creativekindergartenblog.com/one-to-one-correspondence-intervention-for-kindergarten/>

It is crucial to use reliable sources of information.



From the Boston University Website <https://www.bu.edu/bulletin/outreach/bulletin/2015/03/01/ishango-bone/>

Mathematical Treasure: Ishango Bone
MAA website <http://www.maa.org/press/periodicals/collegeboard/mathematical-treasure-18-ang-bone>

The Ishango bone (top) is the oldest known mathematical artifact. It is a tally stick with 29 distinct notches that were probably set into a baboon's tibia. It was discovered with the Border Cave in the Ishango Mountains of Eastern Africa. The Ishango bone (bottom) resembles a calendar stick still used in Nigeria. See more about these artifacts under "Other Resources" below.

Number systems

Additive number systems

Number systems

A **number system** consist on a set of symbols, called **numerals**, and a set of **rules** for writing this numerals to represent **numbers**.

We are going to consider four **characteristics** of number systems

- **Additive:** The value of a number is the sum of the values of the numerals.
- **Ciphred or alphabetic**
- **Multiplicative**
- **Positional**

1	10	100	1000	10000	100000	10 ⁶
						
Egyptian numeral hieroglyphs						

Egyptian Additive Number System

Additive: The value of a number is the sum of the values of the numerals.



Numeral	Hieroglyph	Meaning
1		A vertical stroke
10		A cattle hobble, (device used to tie animals' legs)
100		A coiled rope
1000		A lotus flower
10000		A bent finger
100000		A tadpole or frog
1000000		A figure with raised arms, sometimes interpreted as a god or a person marveling at the large number,

Design found in several places in Africa, for instance carved in wooden doors in Nigeria. in fabrication of baskets in Egypt Also in burial sites in **Ancient Egypt**.

An additive number system: Egyptian Hieroglyphs numerals:

- based on a **scale** of 10
- used as far back as 3400 B.C.E.
- mostly for inscription in stones

1	10	100	1000	10000	100000	10 ⁶
						
Egyptian numeral hieroglyphs						



1. Write the number 752 in Egyptian hieroglyphics.
- 2 Express number on the left in Hindu-Arabic numerals.

Images credits: https://mathshistory.st-andrews.ac.uk/HistTopics/Egyptian_numerals/


Images credits: https://mathshistory.st-andrews.ac.uk/HistTopics/Egyptian_numerals/

An additive number system: Egyptian Hieroglyphs numerals:

- based on a **scale** of 10
- used as far back as 3400 B.C.E.
- mostly for inscription in stones

1	10	100	1000	10000	100000	10 ⁶
Egyptian numeral hieroglyphs						


Example



276



Educated guess: what are the rules of the Egyptian hieroglyphic system?
Hint: One rule is related to the number of times a numeral can be repeated.

Ceremony in which captives and plunder are presented to Egyptian King Narmer (c. 31st century BCE)



Narmer Macehead (drawing). The design shows captives being presented to Pharaoh Narmer enthroned in a naos. Ashmolean Museum, Oxford.

Decipher with your team 1, 2 and 3 (on the left). Each member of the team writes down their answer individually. You have 7 minutes.




Narmer Macehead (drawing). The design shows captives being presented to Pharaoh Narmer enthroned in a naos. Ashmolean Museum, Oxford.

1	10	100	1000	10000	100000	10 ⁶
Egyptian numeral hieroglyphs						


Ceremony in which captives and plunder are presented to Egyptian King Narmer (c. 31st century BCE)

Here is a good picture of this source
<https://digi.ub.uni-heidelberg.de/diglit/quibell1900bd1/0038/image>



Narmer Macehead (drawing). The design shows captives being presented to Pharaoh Narmer enthroned in a naos. Ashmolean Museum, Oxford.

The scene depicts a ceremony in which captives and plunder are presented to King Narmer, who is enthroned beneath a canopy on a stepped platform. He wears the Red Crown of Lower Egypt, holds a flail, and is wrapped in a long cloak. To the left, Narmer's name is written inside a representation of the palace facade (the *serekh*) surmounted by a falcon. At the bottom is a record of animal and human plunder; 400,000 cattle, 1,422,000 goats, and 120,000 captives



Ciphered or alphabetic number systems

An additive system invented by your instructor

value	1	5	25	125
numerals	a	b	c	d

1. Express abbcdd in Hindu-Arabic numerals.
 2. Express 106 in this additive system

Rules:

- Numerals are written from left to right, from the numeral with smallest value to the numeral with largest value. (abbcdd)
- The number of numerals used must be the smallest possible (for instance, we should write "b" instead of "aaaa")

Number systems

A **number system** consist on a set of symbols, called **numerals**, and a set of **rules** for writing this numerals to represent **numbers**.

A number system can be.

- **Additive:**
- **Ciphered or alphabetic:** Numerals design 1, 2,..9, and the powers of 10 (or, more generally, some base) but also to the multiples of this powers. Example: Greek Alphabetic
- **Multiplicative**
- **Positional:**

Letter	Value	Letter	Value	Letter	Value
α	1	ι	10	ρ	100
β	2	κ	20	σ	200
γ	3	λ	30	τ	300
δ	4	μ	40	υ	400
ε	5	ν	50	φ	500
ς	6	ξ	60	χ	600
ζ	7	ο	70	ψ	700
η	8	π	80	ω	800
θ	9	Ϟ	90	Ϡ	900
		ϙ		ϡ	

Table from <https://online.math.uh.edu/Math2303-unpaid/ch1/1s12/index.html>

A ciphered number system: Greek Alphabetic Numerals

Rule: Numeral in ascending value, from right to left. Repetitions?

1. Write the number 752 in Greek numerals
2. Translate $\sigma\pi\gamma$ to Hindu-Arabic.

Letter	Value	Letter	Value	Letter	Value
α alpha	1	ι iota	10	ρ rho	100
β beta	2	κ kappa	20	σ sigma	200
γ gamma	3	λ lambda	30	τ tau	300
δ delta	4	μ mu	40	υ upsilon	400
ϵ epsilon	5	ν nu	50	ϕ phi	500
ζ digamma	6	ξ xi	60	χ chi	600
ζ zeta	7	\omicron omicron	70	ψ psi	700
η eta	8	π pi	80	ω omega	800
θ theta	9	\koppa koppa	90	\sampi sampi	900

Table from <https://online.math.uh.edu/Math2303-unpaid/ch1/s12/index.html>

Hieratic script is the cursive form of hieroglyphic. It was used for administrative and literary purposes.

Looking at the hieratic numerals below, which type of number system (additive, multiplicative, ciphered, positional) do they suggest? Explain your reasoning.

1		10		100		1000	
2		20		200		2000	
3		30		300		3000	
4		40		400		4000	
5		50		500		5000	
6		60		600		6000	
7		70		700		7000	
8		80		800		8000	
9		90		900		9000	

Hieratic numerals

https://mathhistory.st-andrews.ac.uk/HistTopics/Egyptian_numerals/

Greek alphabetic numerals

Letter	Value	Letter	Value	Letter	Value
α alpha	1	ι iota	10	ρ rho	100
β beta	2	κ kappa	20	σ sigma	200
γ gamma	3	λ lambda	30	τ tau	300
δ delta	4	μ mu	40	υ upsilon	400
ϵ epsilon	5	ν nu	50	ϕ phi	500
ζ digamma	6	ξ xi	60	χ chi	600
ζ zeta	7	\omicron omicron	70	ψ psi	700
η eta	8	π pi	80	ω omega	800
θ theta	9	\koppa koppa	90	\sampi sampi	900

Does the Greek alphabetic system count as additive? Explain why or why not.

Greek alphabetic system

- Ciphered or alphabetic: Numerals design 0, 1, and the powers of 10 (or, more generally, some base) but also to the multiples of this powers. Example: Greek Alphabetic

Letter	Value	Letter	Value	Letter	Value
α alpha	1	ι iota	10	ρ rho	100
β beta	2	κ kappa	20	σ sigma	200
γ gamma	3	λ lambda	30	τ tau	300
δ delta	4	μ mu	40	υ upsilon	400
ϵ epsilon	5	ν nu	50	ϕ phi	500
ζ digamma	6	ξ xi	60	χ chi	600
ζ zeta	7	\omicron omicron	70	ψ psi	700
η eta	8	π pi	80	ω omega	800
θ theta	9	\koppa koppa	90	\sampi sampi	900

Table from <https://online.math.uh.edu/Math2303-unpaid/ch1/s12/index.html>

Alphabetic Greek: For the numbers 1000 to 9000, they wrote: 'α,β, γ...θ (For instance, 'β represents 2000)

10000 was written $\overset{\alpha}{\text{M}}$

There were rules for numbers up to 640,000, and even larger

Multiplicative number systems

Number systems

A **number system** consist on a set of symbols, called **numerals**, and a set of **rules** for writing this numerals to represent **numbers**.


A number system can be.

- Additive:
- Ciphred or alphabetic:
- **Multiplicative:** There are two sets of numerals, the elements of one set represent digits and the elements of the other set represent position. If necessary, a digit and a position symbols are used together, and the values of numerals are multiplied. Finally, all the products are added.
- Positional

Number	Symbol
0	零
1	一
2	二
3	三
4	四
5	五
6	六
7	七
8	八
9	九
10	十
100	百
1000	千

A multiplicative system Traditional Chinese numerals

Write the numbers below (in traditional Chinese numerals) in Hindu-Arabic numerals.



1	一	10	十
2	二	100	百
3	三	1000	千
4	四	10,000	萬
5	五		
6	六		
7	七		
8	八		
9	九		

Burton, David M. "The history of mathematics: An introduction." (1985)

Burton, David M. "The history of mathematics: An introduction." (1985)

Invented multiplicative system

	1	10	100	1000					
numerals representing position	a	b	c	d					
Digits (numerals)	1	2	3	4	5	6	7	8	9

1. Translate d2c7b3a8 from the multiplicative system to the Hindu-Arabic number system.
2. Write 1065 down the numbers in the multiplicative system

Multiplicative number system

- There are two sets of numerals, the elements of one set represent digits and the elements of the other set represent position. If necessary, a digit and a position symbols are used together, and the values of numerals are multiplied. Finally, all the products are added.

Number systems

A **number system** consist on a set of symbols, called **numerals**, and a set of **rules** for writing this numerals to represent **numbers**.

Four **characteristics** of number systems

- **Additive:**
- **Ciphered or alphabetic**
- **Multiplicative**
- **Positional:** The value of each numeral depends on its position. The system consists of a **base** (a natural number greater than one) and a **set of numerals** representing the numbers from zero to one less than the base. The numbers from zero to the base minus one are the digits in the system.

Example
 $345 = 3 \cdot 10^2 + 4 \cdot 10 + 5$
 $5 = (101)_2$

Number systems

A **number system** consist on a set of symbols, called **numerals**, and a set of **rules** for writing this numerals to represent **numbers**.

We are going to consider four **characteristics** of number systems

- **Additive**
- **Ciphered or alphabetic**
- **Multiplicative**
- **Positional**

Note:
characteristics \neq **classification:**

Positional number systems

Examples of a Positional Systems Around the World

- **Binary**
- **Hindu-Arabic ("ours")**
- **Mayan**
- **Babilonian (Mesopotamian)**
- **Chinese Rod Number System (different from the Traditional Chinese number system we discussed before)**
- **Positional:** The value of each numeral depends on its position. The system consists of a base (a natural number greater than one) and a set of numerals representing the numbers from zero to one less than the base. The numbers from zero to the base minus one are the digits in the system.


Important statement for Positional Number Systems

Integer division:

Given two integers a and b , with $b > 0$, there exist unique integers q and r such that $a = b \cdot q + r$ and $0 \leq r < b$

- a is called the *dividend*,
- b is called the *divisor*,
- q is called the *quotient*,
- r is called the *remainder*.

In this figure, $a=17$. What are the values of b , q , and r ?



This statement answers the question: *What is the maximum number of times b "enters" into a , and what is remaining after this maximum number of b is subtracted from a ?*


Note: The result works for a , b integers, $b \neq 0$, but we will only work with positive numbers.

Important statement for Positional Number Systems

Integer division: Given two integers a and b , with $b > 0$, there exist unique integers q and r such that $a = b \cdot q + r$ and $0 \leq r < b$,

In this figure, $a=27$ (the total number of blue dots). What are the values of b , q , and r ?

- a is called the *dividend*,
- b is called the *divisor*,
- q is called the *quotient*,
- r is called the *remainder*.



This statement answers the question: *What is the maximum number of times b "enters" into a , and what is remaining after this maximum number of b is subtracted from a ?*


Note: The result works for a , b integers, $b \neq 0$, but we will only work with positive numbers.

Division Algorithm

Theorem (Integer or Euclidean Division) For each pair a and b of integers, a positive there exists unique integers q and r such that

- $a = q \cdot b + r$
- $0 \leq r < b$.

Example: If $a=83$, $b=20$, then $q=4$ and $r=3$



From base 10 to base $b \neq 10$

We are given number N (in base 10).

Suppose N has the form $N = (u, v)_b$,

then we have $N = u \cdot b + v$, with $0 \leq u, v < b$.

In this case, to write N in base b need to find u and v .

Find u and v when $N = 100$ and $b = 11$. Give your answer as an ordered pair (u, v)

Recall: Given two integers a and b , with $b > 0$, there exist unique integers q and r such that $a = b \cdot q + r$ and $0 \leq r < b$

From a base $b \neq 10$ to base 10.

If $N=(18,6)_b$ then $N=18 \cdot b + 6$

For instance, if the base b is 20, then

$$N=(18,6)_{20} = 18 \cdot 20 + 6 = 376$$

Analogously, if $N=(15, 0, 10)_b$

then $N=15 \cdot b^2 + 0 \cdot b + 10$.

(N without parenthesis is assumed to be in base 10)

Find the quotient and remainder of dividing 445 by 20.

That is, determine q and r such that $445 = q \cdot 20 + r$, where $0 \leq r < 20$.

Optional: Use your result to write 445 in base 20.

Recall: Given two integers a and b , with $b > 0$, there exist unique integers q and r such that $a = b \cdot q + r$ and $0 \leq r < b$

Example: Express 445 in base 20.

- Integer division of N by b :
Find q and r such that:
 $445 = 22 \cdot 20 + 5$ so $q=22$ and $r=5$
- Check: Is $q < 20$ or $q \geq 20$?
 - $q = 22 \geq 20$, so continue dividing.
- Integer division of q by b :
Find q_1 and r_1 such that:
 $22 = 1 \cdot 20 + 2$
- Check: Is $q_1 < 20$ or $q_1 \geq 20$?
 - $q_1 = 1 < 20$, so we are done.
- Final representation in base 20:
 $N = (q_1, r_1, r)_{20}$
 $445 = (1, 2, 5)_{20}$

Expressing a Number N in Base b

- Integer division of N by b :
Find q and r such that:
 $N = q \cdot b + r$, where $0 \leq r < b$.
- Check: Is $q < b$ or $q \geq b$?
 - If $q < b$, you're done: $N = (q, r)_b$.
 - If $q \geq b$, continue dividing:
- Integer division of q by b :
Find q_1 and r_1 such that:
 $q = q_1 \cdot b + r_1$.
- Check: Is $q_1 < b$ or $q_1 \geq b$?
 - If $q_1 < b$, you're done: $N = (q_1, r_1, r)_b$.
 - If $q_1 \geq b$, repeat the process.
- Next slide

Expressing a Number N in Base b

- Write the number in base b:
 - Start with **N** and repeatedly replace each quotient **q** with its own quotient and remainder until the final quotient is smaller than **b**.
 - You will obtain
$$N = q_n \cdot b^n + r_n \cdot b^{n-1} + r_{n-1} \cdot b^{n-2} + \dots + r_1 \cdot b + r_0.$$
 - This process builds the number as **N = (q_n, r_n, r_{n-1}, ..., r₁, r₀)_b**, where:
 - q_n** is the last quotient (the first **q** that is smaller than **b**).
 - r₀, r₁, ..., r_n** are the remainders found at each step.

$(q_n, r_n, r_{n-1}, \dots, r_1, r_0)_b$ represents N in base b.

Express the number 752 in base 20.

Hint: Recall how we found that 445 can be written as $(1,2,5)_{20}$

Recall: Given two integers **a** and **b**, with $b > 0$, there exist unique integers **q** and **r** such that $a = b \cdot q + r$ and $0 \leq r < b$

Express the number 752 in base 20

To express **752** in base **20**, follow the steps:

- Integer division of 752 by 20: $752 = 37 \cdot 20 + 12$.
 - $q=37$ and $r = 12$.
- Check: Is $q < 20$ or $q \geq 20$?
 - $q = 37 \geq 20$, so continue dividing.
- Integer division of 37 by 20: $37 = 1 \cdot 20 + 17$.
 - $q_1=1$ and $r_1 = 17$.
- Check: Is $q_1 < 20$ or $q_1 \geq 20$?
 - $q_1 = 1 < 20$, so we are done.
- Final representation in base 20: $752 = (1, 17, 12)_{20}$

Express 20 in base 20.


Take a moment to reflect on today's discussion. In a few sentences, summarize the main ideas we explored about the history of numbers in language and number systems. If something especially stood out to you or left you with a question, include that as well. Don't forget to save your response.

Division Algorithm

Theorem (Integer or Euclidean Division) For each pair a and b of integers, a positive there exists unique integers q and r such that

- $a = q \cdot b + r$
- $0 \leq r < b$.

Example: If $a=83$, $b=20$, then $q=4$ and $r=3$



To “translate”

From base 10 to base $b \neq 10$: integer division

From base $b \neq 10$ to base 10: replace

Two examples of positional number systems: Maya and Babylonia

A positional system in base 20 Mayan (in Mesoamerica)

Two special numerals

1 5
• —

Most likely, these two numerals are from an older additive number system.

All the Mayan numerals

0	1	2	3	4
	•	••	•••	••••
5	6	7	8	9
—	—•	—••	—•••	—••••
10	11	12	13	14
— —	—•	—••	—•••	—••••
15	16	17	18	19
— — —	—•	—••	—•••	—••••

Express the number 752 Mayan number system.
In Wooclap, express 752 in base 20.
For instance, 445 can be expressed as $(1,2,5)_{20}$

0	1	2	3	4
	•	••	•••	••••
5	6	7	8	9
—	—•	—••	—•••	—••••
10	11	12	13	14
— —	—•	—••	—•••	—••••
15	16	17	18	19
— — —	—•	—••	—•••	—••••

A positional system in base 60 Mesopotamian

Two special numerals

𐎶 1 𐎵 10

Most likely, these two numerals are from an older additive number system.

All the Mesopotamian numerals

𐎶 1	𐎵 11	𐎶𐎶 21	𐎶𐎶𐎶 31	𐎶𐎶𐎶𐎶 41	𐎶𐎶𐎶𐎶𐎶 51
𐎶𐎶 2	𐎶𐎶𐎵 12	𐎶𐎶𐎶𐎶 22	𐎶𐎶𐎶𐎶𐎶 32	𐎶𐎶𐎶𐎶𐎶𐎶 42	𐎶𐎶𐎶𐎶𐎶𐎶𐎶 52
𐎶𐎶𐎶 3	𐎶𐎶𐎶𐎵 13	𐎶𐎶𐎶𐎶𐎶 23	𐎶𐎶𐎶𐎶𐎶𐎶 33	𐎶𐎶𐎶𐎶𐎶𐎶𐎶 43	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 53
𐎶𐎶𐎶𐎶 4	𐎶𐎶𐎶𐎶𐎵 14	𐎶𐎶𐎶𐎶𐎶𐎶 24	𐎶𐎶𐎶𐎶𐎶𐎶𐎶 34	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 44	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 54
𐎶𐎶𐎶𐎶𐎶 5	𐎶𐎶𐎶𐎶𐎶𐎵 15	𐎶𐎶𐎶𐎶𐎶𐎶𐎶 25	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 35	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 45	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 55
𐎶𐎶𐎶𐎶𐎶𐎶 6	𐎶𐎶𐎶𐎶𐎶𐎶𐎵 16	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 26	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 36	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 46	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 56
𐎶𐎶𐎶𐎶𐎶𐎶𐎶 7	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎵 17	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 27	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 37	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 47	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 57
𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 8	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎵 18	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 28	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 38	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 48	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 58
𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 9	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎵 19	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 29	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 39	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 49	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 59
𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 10	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎵 20	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 30	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 40	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 50	

Express the number 752 cuneiform number system.
In Slido, express 752 in base 60.
For instance, 70 can be expressed as $(1,10)_{60}$

Numerals

𐎶 1	𐎵 11	𐎶𐎶 21	𐎶𐎶𐎶 31	𐎶𐎶𐎶𐎶 41	𐎶𐎶𐎶𐎶𐎶 51
𐎶𐎶 2	𐎶𐎶𐎵 12	𐎶𐎶𐎶𐎶 22	𐎶𐎶𐎶𐎶𐎶 32	𐎶𐎶𐎶𐎶𐎶𐎶 42	𐎶𐎶𐎶𐎶𐎶𐎶𐎶 52
𐎶𐎶𐎶 3	𐎶𐎶𐎶𐎵 13	𐎶𐎶𐎶𐎶𐎶 23	𐎶𐎶𐎶𐎶𐎶𐎶 33	𐎶𐎶𐎶𐎶𐎶𐎶𐎶 43	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 53
𐎶𐎶𐎶𐎶 4	𐎶𐎶𐎶𐎶𐎵 14	𐎶𐎶𐎶𐎶𐎶𐎶 24	𐎶𐎶𐎶𐎶𐎶𐎶𐎶 34	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 44	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 54
𐎶𐎶𐎶𐎶𐎶 5	𐎶𐎶𐎶𐎶𐎶𐎵 15	𐎶𐎶𐎶𐎶𐎶𐎶𐎶 25	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 35	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 45	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 55
𐎶𐎶𐎶𐎶𐎶𐎶 6	𐎶𐎶𐎶𐎶𐎶𐎶𐎵 16	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 26	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 36	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 46	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 56
𐎶𐎶𐎶𐎶𐎶𐎶𐎶 7	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎵 17	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 27	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 37	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 47	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 57
𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 8	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎵 18	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 28	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 38	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 48	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 58
𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 9	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎵 19	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 29	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 39	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 49	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 59
𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 10	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎵 20	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 30	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 40	𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶𐎶 50	

Review and comparison

Note:

There are two different concepts, number and representation of number (in symbols or words).

Numbers and numerals are also different concepts.

Complete the table

Mayan	Hindu-Arabic ("ours") and Rod numerals	Roman	Egyptian hieroglyphics	Babylonian Cuneiform	Traditional Chinese	Greek alphabetic	Moir's Multiplicative system
	25						
		DCCXIX					
	45625						

Questions for Group Discussion:

Why do you think the Mayans used base 20?

Why do you think the Babylonians used base 60?

Is the Roman number system positional? Why or why not?

One of the images from the Golden Record launched in 1977 is shown below. Can you relate it to the topic we are studying, number systems?

Images on the Golden Record

• = = 1	-- = 12	
•• = - = 2	--- = 24	
••• = = 3	-- --- = 100 = 10^2	
•••• = - - = 4	--- = 1000 = 10^3	
••••• = - = 5	2+3=5	
•••••• = - = 6	8+17=25	$5 + \frac{2}{3} = 5\frac{2}{3}$
= 7	$\frac{1}{2} + \frac{1}{3} = \frac{5}{6}$	2 x 3 = 6
--- = 8	$\frac{1}{3} + \frac{1}{5} = \frac{8}{15}$	13 x 28 = 364
-- = 9		
- - = 10		

Source: <https://voyager.jpl.nasa.gov/galleries/images-on-the-golden-record/>
Image credit: Francis Drake

For more info: <https://voyager.jpl.nasa.gov/golden-record/>

Recall: Counting

A group of friends, let's call them A, B and C want to count a large number of people.

1. The people starts walking before them. Each time a person walks by, A raises a finger (and keeps it raised)
2. When all fingers of A are raised, B raises one finger and A lowers all their fingers. The procedure continues repeating appropriately 1. and 2.
3. A some point, all fingers of B are raised. Then C raises one finger and B lowers all their fingers.
4. And so on.

According to Tietze, this form of counting was used by a tribe from South Africa

